



ZEROSSET 零集



ZEROSSET CREATIVE TECHNOLOGY

Dongguan Zeroset Creative Technology Co., Ltd

Professional Power Bank Design, Development & Manufacturing



**THINK WHAT YOU THINK
CREATE WHAT YOU WANT**



ZEROSET 零集



Dongguan ZeroSet Creative Technology Co., Ltd.

ZeroSet is an innovative technology company specializing in the design, development, production and sales of 3C digital and lifestyle products. We create original products that are practical, durable, attractive and engaging for modern consumers. By integrating industrial design, engineering and manufacturing, we help partners bring ideas to market, strengthen brand value and execute product strategies efficiently. From concept positioning and R&D to mass production, our team pursues consistent quality and refined execution. Our designers are passionate about life, originality and creating better everyday experiences.

Employees: 130+

Production Lines: 5+

Factory Area: 6,000 m2+

THINK WHAT YOU THINK
CREATE WHAT YOU WANT

CONTENTS

INDEX

1

Company Profile

2

Product Catalog

01 Mini Power Banks

02 Magnetic Power Banks

03 Value Power Banks

04 AC Plug Power Banks

05 Direct-Plug Power Banks

06 Retractable-Cable Power Banks

NEW FUTURE

01

MINI Power Banks

Power bank

CONNECT
THE FUTURE

NEW - Built-in Cable



10000mAh/Power Bank/ 22.5W

- Model: F97 MAX
- Battery Capacity: 10000mAh(3.85V/38.5Wh)
- Cell Model: 115252*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 76*59.5*28mm
- Type-C Input:
5V= 3A 9V= 2A 12V= 1.5A(18W Max)
- Type-C Cable Input:
5V= 3A 9V= 2A 12V= 1.5A(18W Max)
- Type-C Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Type-C Cable Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Lightning Cable: 5V = 2.4A
- USB-A Output:
5V= 2A 9V= 2A 10V= 2.25A 12V= 1.5A(22.5W Max)
- Weight: 175g
- Colors: Silver, White, Pink, Purple, Blue

Color:



XX\$

NEW - Built-in Cable Version



10000mAh/Power Bank/ 22.5W

- Model: F97 pro
- Battery Capacity: 10000mAh(3.85V/38.5Wh)
- Cell Model: 115252*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 76*59.5*28mm
- Type-C Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Cable Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Type-C Cable Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Lightning Cable: 5V ==2.4A
- USB-A Output:
5V== 2A 9V== 2A 10V== 2.25A 12V== 1.5A(22.5W Max)
- Weight: 175g
- Colors: Silver, White, Pink, Purple, Blue

Color: Grey White Pink Purple Blue XX\$

NEW - Built-in Cable



10000mAh/Power Bank/ 22.5W

- Model: F97
- Battery Capacity: 10000mAh(3.85V/38.5Wh)
- Cell Model: 115252*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 76*59.5*28mm
- Type-C Input:
5V= 3A 9V= 2A 12V= 1.5A(18W Max)
- Type-C Cable Input:
5V= 3A 9V= 2A 12V= 1.5A(18W Max)
- Type-C Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Type-C Cable Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Lightning Cable: 5V =2.4A
- USB-A Output:
5V= 2A 9V= 2A 10V= 2.25A 12V= 1.5A(22.5W Max)
- Weight: 175g
- Colors: Silver, White, Pink, Purple, Blue

Color:



XX\$

NEW - Built-in Cable



10000mAh/Power Bank/3 5W

- Model: B97
- Battery Energy: 38.5Wh(5000mAh/7.7V)
- Cell Model: 115252*2
- Material: ABS+PC Flame-Retardant
- Material Dimensions: 76*59.5*28mm
- Type-C Port/Cable Input:
5V== 3A 9V== 3A 12V== 2.91A 15V== 2.33A 20V== 1.75A(35W MAX)
- Type-C Port/Cable Output:
5V== 3A 9V== 3A 10V== 2.25A 12V== 2.91A 15V== 2.33A
20V== 1.75A(35W MAX)
- Lightning Cable: 5V == 2.4A
- USB-A Output:
5V== 2A 9V== 2A 10V== 2.25A 12V== 1.5A(22.5W Max)
- Weight: 175g
- Colors: Silver, White, Pink, Purple, Blue

Color:



XX\$

NEW - Built-in Cable



10000mAh/Power Bank/ 22.5W

- Model: F105
- Battery Capacity: 10000mAh(3.85V/38.5Wh)
- Cell Model: 115252*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 73.5*62.5*33.5mm
- Type-C Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Cable Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Type-C Cable Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Lightning Cable: 5V ==2.4A
- Weight: 195g
- Colors: Silver, White, Pink, Purple, Blue

Color: ☐



XX\$

Built-in Cable



10000mAh/Power Bank/ 22.5W

- Model: F103-D
- Battery Capacity: 10000mAh/3.85V/38.5Wh
- Cell Model: 115252*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 69.5*69*28mm
- Type-C Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Cable Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Type-C Cable Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Lightning Cable: 5V == 2.4A
- Weight: 180g
- Colors: White, Pink, Purple, Blue, Green

Color: ☐



XX\$

Built-in Dual Cables

22.5W Fast-Charging Power Bank



10000mAh/Power Bank/ 22.5W

- Model: F86-E
- Battery Capacity: 10000mAh(3.85V/38.5Wh)
- Cell Model: 105555*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 72.5*72.5*26mm
- USB-C Input:
5V= 3A 9V= 2A 12V= 1.5A
- USB-C Output:
5V= 2A 9V= 2.22A 10V= 2.25A(22.5W MAX)
- USB-C Cable Output:
5V= 2A 9V= 2.22A 10V= 2.25A(22.5W MAX)
- Lightning Cable Output:
5V= 2.4A(12W MAX)
- Weight: 181g
- Colors: White, Pink, Purple, Blue

Color: ☐



XX\$

Built-in Dual Cables

22.5W Fast-Charging Power Bank



10000mAh/Power Bank/ 22.5W

- Model: F76-B
- Battery Capacity: 10000mAh/3.7V/37Wh
- Cell Model: 21700*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 86.3*60*27.4mm
- Type-C Input:
5V $\equiv$ 3A 9V $\equiv$ 2A 12V $\equiv$ 1.5A(18W MAX)
- Type-C Output:
5V $\equiv$ 2A 9V $\equiv$ 2.22A 10V $\equiv$ 2.25A 12V $\equiv$ 1.67A(22.5W MAX)
- Type-C Cable Output:
5V $\equiv$ 2A 9V $\equiv$ 2.22A 10V $\equiv$ 2.25A 12V $\equiv$ 1.67A(22.5W MAX)
- Output (Lightning Cable): 5V $\equiv$ 2.4A(12W MAX)
- Weight: 186g
- Colors: White, Pink, Purple, Blue

Color:



XX\$

Built-in Dual Cables

22.5W Fast-Charging Power Bank



10000mAh/Power Bank/ **22.5W**

- Model: F76-A
- Battery Capacity: 10000mAh/3.7V/37Wh
- Cell Model: 21700*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 86.3*60*27.4mm
- Type-C Input:
5V $\equiv$ 3A 9V $\equiv$ 2A 12V $\equiv$ 1.5A(18W MAX)
- Type-C Output:
5V $\equiv$ 2A 9V $\equiv$ 2.22A 10V $\equiv$ 2.25A 12V $\equiv$ 1.67A(22.5W MAX)
- Type-C Cable Output:
5V $\equiv$ 2A 9V $\equiv$ 2.22A 10V $\equiv$ 2.25A 12V $\equiv$ 1.67A(22.5W MAX)
- Output (Lightning Cable): 5V $\equiv$ 2.4A(12W MAX)
- Weight: 186g
- Colors: White, Pink, Purple, Blue

Color:



XX\$

Detachable Built-in Cable
22.5W Fast-Charging Power Bank



10000mAh/Power Bank/ 22.5W

- Model: F93(Cable)
- Battery Capacity: 10000mAh/3.7V/37Wh
- Cell Model: 21700*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 116*61*28.5mm
- Type-C1/Type-C2 Input:
5V== 2A 9V== 2A 12V== 1.5A(18W Max)
- Lightning Input:
5V== 2.4A 9V== 2A(18W Max)
- Type-C1/Type-C2 Output:
5V== 3A 9V== 2.22A 12V== 1.67A(20W Max)
- Lightning Output:
5V== 2.4A 9V== 2.22A(20W Max)
- Weight: xxxg
- Colors: Black, White, Pink, Purple, Blue

Color:



XX\$

NEW - Built-in Cable



20000mAh/Power Bank/ 45W

- Model: G102Max
- Battery Capacity: 9300mAh(7.7V)
- Battery Energy: 71.62Wh(3.85V/9300mAh/2PCS)Cell Model:
126074*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 100*69*30.5mm
- Type-C Port/Cable Input:
5V= 3A 9V= 3A 12V= 2.5A 15V= 2A 20V= 1.5A(30W Max)
- Type-C Port/Cable Output:
5V= 3A 9V= 3A 10V= 2.25A 12V= 3A 15V= 3A 20V= 2.25A(45W Max)
- Lightning Cable: 5V = 2.4A
- USB-A Output:
5V= 2A 9V= 2A 10V= 2.25A 12V= 1.5A(22.5W Max)
- Weight: 297g
- Colors: Silver, White, Pink, Purple, Blue

Color:



XX\$

NEW - Built-in Cable



20000mAh/Power Bank/ 22.5W

- Model: F102pro
- Battery Capacity: Typical 20000mAh(3.85V/77Wh)
Rated 18600mAh(3.85V/71.62Wh)
- Cell Model: 126074*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 100*69*30.5mm
- Type-C Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Cable Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Type-C Cable Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Lightning Cable: 5V == 2.4A
- USB-A Output:
5V== 2A 9V== 2A 10V== 2.25A 12V== 1.5A(22.5W Max)
- Weight: 297g
- Colors: Silver, White, Pink, Purple, Blue

Color:



XX\$

NEW - Built-in Cable



20000mAh/Power Bank/ 22.5W

- Model: F102MAX
- Battery Capacity: Typical 20000mAh(3.85V/77Wh)
Rated 18600mAh(3.85V/71.62Wh)
- Cell Model: 126074*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 100*69*30.5mm
- Type-C Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Cable Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Type-C Cable Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Lightning Cable: 5V == 2.4A
- USB-A Output:
5V== 2A 9V== 2A 10V== 2.25A 12V== 1.5A(22.5W Max)
- Weight: 297g
- Colors: Silver, White, Pink, Purple, Blue

Color:



XX\$

NEW - Built-in Cable



20000mAh/Power Bank/ 45W

- Model: G102Max
- Battery Capacity: 9300mAh(7.7V)
- Battery Energy: 71.62Wh(3.85V/9300mAh/2PCS)Cell
- Model: 126074*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 100*69*30.5mm
- Type-C Port/Cable Input:
5V= 3A 9V= 3A 12V= 2.5A 15V= 2A 20V= 1.5A(30W Max)
- Type-C Port/Cable Output:
5V= 3A 9V= 3A 10V= 2.25A 12V= 3A 15V= 3A 20V= 2.25A(45W Max)
- Lightning Cable: 5V = 2.4A
- USB-A Output:
5V= 2A 9V= 2A 10V= 2.25A 12V= 1.5A(22.5W Max)
- Weight: 297g
- Colors: Silver, White, Pink, Purple, Blue

Color:



XX\$

NEW - Built-in Cable



20000mAh/Power Bank/ 35W

- Model: B102
- Battery Capacity: Typical 20000mAh(3.85V/77Wh)
Rated 18600mAh(3.85V/71.62Wh)
- Cell Model: 126074*2
- Material: ABS+PC Flame-Retardant Material Dimensions:
 - 100*69*30.5mm
- Type-C Port/Cable Input:
5V ≡ 3A 9V ≡ 3A 12V ≡ 2.5A 15V ≡ 2A 20V ≡ 1.5A(30W MAX)
- Type-C Port/Cable Input:
5V ≡ 3A 9V ≡ 3A 10V ≡ 2.25A 12V ≡ 2.91A 15V ≡ 2.33A
20V 1.75A(35W MAX)
- Lightning Cable: 5V ≡ 2.4A
- USB-A Output:
5V ≡ 2A 9V ≡ 2A 10V ≡ 2.25A 12V ≡ 1.15A(25W MAX)
- Weight: 297g
- Colors: Silver, White, Pink, Purple, Blue

Color:



XX\$

NEW - Built-in Cable



20000mAh/Power Bank/ 22.5W

- Model: F102
- Battery Capacity: Typical 20000mAh(3.85V/77Wh)
Rated 18600mAh(3.85V/71.62Wh)
- Cell Model: 126074*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 100*69*30.5mm
- Type-C Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Cable Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Type-C Cable Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Lightning Cable: 5V == 2.4A
- USB-A Output:
5V== 2A 9V== 2A 10V== 2.25A 12V== 1.5A(22.5W Max)
- Weight: 297g
- Colors: Silver, White, Pink, Purple, Blue

Color:



XX\$

NEW FUTURE

02

Magnetic Power Banks

Power bank

CONNECT
THE FUTURE

Built-in Cable (Magnetic Wireless Charging)



10000mAh/Power Bank/ 22.5W

- Model: F103-D
- Battery Capacity: 10000mAh/3.85V/38.5Wh
- Cell Model: 115252*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 69.5*69*28mm
- Type-C Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Cable Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Type-C Cable Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Lightning Cable: 5V ==2.4A
- Wireless Charging Output: 5W/7.5W/10W/15W
- Weight: 180g
- Colors: White, Pink, Purple, Blue, Green

Color:



XX\$

Ultra-Slim Magnetic (with Stand)



10000mAh/Power Bank/ 22.5W

- Model: LJ02(Ultra-Slim Mag)
- Battery Capacity: 10000mAh/3.6V/36Wh
- Cell Model: 1260110*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 99*68.4*16.5mm
- Type-C1/Type-C2 Input:
5V= 3A 9V= 2A 12V= 1.5A(18W Max)
- Type-C1/Type-C2 Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Wireless Charging Output:
5W/7.5W/10W/15W
- Colors: Black, White, Pink, Purple, Blue

Weight: 175g

Color:     

XX\$

Built-in Lanyard Cable (Magnetic Wireless Charging)
22.5W Fast-Charging Power Bank



5000mAh/Power Bank/ 22.5W

- Model: F91(Ultra-Slim Mag)
- Battery Capacity: 5000mAh/3.87V/19.35Wh
- Cell Model: 546280*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 102*68*9.3mm
- Type-C Input:
5V= 3A 9V= 2A(18W Max)
- Type-C Output:
5V= 2A 9V= 2.22A(20W Max)
- Wireless Charging Output:
5W/7.5W/10W/15W
- Weight: 117g
- Colors: Black, White, Pink, Purple, Blue

Color:



XX\$

Ultra-Slim Magnetic Wireless Charging
22.5W Fast-Charging Power Bank



5000mAh/Power Bank/ **22.5W**

- Model: F91(**Ultra-Slim Mag**)
- Battery Capacity: 5000mAh/3.87V/19.35Wh
- Cell Model: 546280*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 102*68*9.3mm
- Type-C Input:
5V= 3A 9V= 2A(18W Max)
- Type-C Output:
5V= 2A 9V= 2.22A(20W Max)
- Wireless Charging Output:
5W/7.5W/10W/15W
- Weight: 117g
- Colors: Black, White, Pink, Purple, Blue

Color:



XX\$

Magnetic Wireless Charging
22.5W Fast-Charging Power Bank




10000mAh/Power Bank/ 20W

- Model: P10(Ultra-Slim Mag)
- Battery Capacity: 10000mAh/3.85V/38.5Wh
- Cell Model: 546280*2
- Material: Aluminum Alloy
- Dimensions: 102*66*15.5mm
- Type-C Input:
5V= 3A 9V= 2A 12V= 1.5A(18W Max)
- Type-C Output:
5V= 2A 9V= 2.22A 12V= 1.67(20W Max)
- Wireless Charging Output:
5W/7.5W/10W/15W
- Weight: xxxg
- Colors: Gunmetal, Silver, Gold

Color:   

XX\$

Watch Wireless Charging 22.5W Fast-Charging Power Bank



10000mAh/Power Bank/ 22.5W

- Model: F89(Watch Charge)
- Battery Capacity: 10000mAh/3.85V/38.5Wh
- Cell Model: 146074*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 113.5*73*22mm
- Type-C Input:
5V== 2A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Cable Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Cable Output:
5V== 3A 9V== 2.22A 12V== 1.67A(20W Max)
- USB-A Output:
5V== 4.5A 9V== 2A 12V== 1.5A(22.5W Max)
- Wireless Charging Output: 5W/7.5W/10W/15W
- Watch Wireless Output: 1W
- Weight: 216g
- Colors: Black, White

Color: ☒ ☐

XX\$

Magnetic Watch Wireless Charging 22.5W Fast-Charging Power Bank



10000mAh/Power Bank/ 22.5W

- Model: F86-F
- Battery Capacity: 10000mAh/3.85V/38.5Wh
- Cell Model: 105555*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 72.5*72.5*28.9mm
- Type-C Input:
5V== 2A 9V== 2A 12V== 1.5A
- Type-C Cable Input:
5V== 3A 9V== 2A 12V== 1.5A
- Type-C Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A
- Type-C Cable Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A
- Lightning Cable: 5V == 2A
- Wireless Charging Output: 5W/7.5W/10W/15W
- Watch Wireless Output: 1W
- Weight: 200g
- Colors: White, Pink, Purple, Blue

Color: ☐



XX\$

Magnetic Wireless Charging 22.5W Fast-Charging Power Bank



10000mAh/Power Bank/ **22.5W**

- Model: F86-D
- Battery Capacity: 10000mAh/3.85V/38.5Wh
- Cell Model: 105555*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 72.5*72.5*26mm
- Type-C Input:
5V= 2A 9V= 2A 12V= 1.5A(18W Max)
- Type-C Cable Input:
5V= 3A 9V= 2A 12V= 1.5A(18W Max)
- Type-C Cable Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Lightning Cable: 5V = 2A
- Wireless Charging Output: 5W/7.5W/10W/15W
- Weight: 195g
- Colors: White, Pink, Purple, Blue

Color:



XX\$

Magnetic Wireless Charging 22.5W Fast-Charging Power Bank



10000mAh/Power Bank/ 22.5W

- Model: F62
- Battery Capacity: 10000mAh(3.85V/38.5Wh)
- Cell Model: 146074*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 112*69.5*22.5mm
- Type-C Input:
5V= 3A 9V= 2A 12V= 1.5A(18W Max)
- Type-C Cable Input:
5V= 3A 9V= 2A 12V= 1.5A(18W Max)
- Type-C Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Type-C Cable Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- USB Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.5A(22.5W Max)
- Lightning Cable: 5V = 2.4A(12W Max)
- Wireless Charging Output: 5W/7.5W/10W/15W
- Weight: 218g
- Colors: White, Pink, Purple, Blue

Color: ☐



XX\$

NEW FUTURE

03

Value Power Banks

Power bank

CONNECT
THE FUTURE



10000mAh/Power Bank/ 22.5W

- Model: F50 Pro
- Battery Capacity: 10000mAh/3.7V/37Wh
- Cell Model: 1260110*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 141*70.3*16.2mm
- Type-C Input:
5V= 3A 9V= 2A 12V= 1.5A(18W Max)
- Type-C Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Type-C Cable Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Lightning Cable: 5V = 2.4A
- USB-A Output:
5V= 2A 9V= 2A 10V= 2.25A 12V= 1.5A(22.5W Max)
- Weight: 240g
- Colors: Black, White, Pink, Purple, Blue

Color:



XX\$

Built-in Dual Cables

22.5W Fast-Charging Power Bank



10000mAh/Power Bank/ 22.5W

- Model: F100PD(Dual Cables)
- Battery Capacity: 10000mAh/3.85V/38.5Wh
- Cell Model: 126280*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 110*68*18mm
- Type-C Input:
5V= 3A 9V= 2A 12V= 1.5A(18W Max)
- Type-C Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Type-C Cable Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Lightning Cable: 5V = 2A
- USB-A Output:
5V= 2A 9V= 2A 10V= 2.25A 12V= 1.5A(22.5W Max)
- Weight: 240g
- Colors: Black, White, Pink, Purple, Blue

Color:



XX\$

Built-in Dual Cables

22.5W Fast-Charging Power Bank



10000mAh/Power Bank/ 22.5W

- Model: F100DPD(Dual Cables)
- Battery Capacity: 10000mAh/3.85V/38.5Wh
- Cell Model: 126280*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 110*68*18mm
- Type-C Input:
5V≡ 3A 9V≡ 2A 12V≡ 1.5A(18W Max)
- Type-C Output:
5V≡ 2A 9V≡ 2.22A 10V≡ 2.25A 12V≡ 1.67A(22.5W Max)
- Type-C Cable Output:
5V≡ 2A 9V≡ 2.22A 10V≡ 2.25A 12V≡ 1.67A(22.5W Max)
- Lightning Cable: 5V ≡ 2A
- USB-A Output:
5V≡ 2A 9V≡ 2A 10V≡ 2.25A 12V≡ 1.5A(22.5W Max)
- Weight: 240g
- Colors: Black, White, Pink, Purple, Blue

Color:



XX\$

Built-in Triple Cables

22.5W Fast-Charging Power Bank



20000mAh/Power Bank/ 22.5W

- Model: H32A(3 Cables)
- Battery Capacity: 20000mAh/3.7V/74Wh
- Cell Model: 1260110*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 100*69*30.5mm
- Type-C1 Input:
5V 2A 9V 2A 12V= 1.5A(18W Max)
- Type-C2 Input:
5V 2A 9V 2A 12V= 1.5A(18W Max)
- Input USB Cable:
5V 2A 9V 2A 12V= 1.5A(18W Max)
- Type-C2 Output:
5V 2A 9V 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Type-C Cable Output:
5V 3A 9V 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Lightning Cable: 5V = 2A
- USB-A Output:
5V 3A 9V 2A 10V= 2.25A 12V= 1.5A(22.5W Max)
- Weight: 420g
- Colors: Black, White

Color:



XX\$

22.5W Fast-Charging Power Bank



20000mAh/Power Bank/ 22.5W

- Model: H32(22.5W)
- Battery Capacity: 20000mAh/3.7V/74Wh
- Cell Model: 1260110*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 100*69*30.5mm
- Type-C1 Input:
5V= 2A 9V= 2A 12V= 1.5A(18W Max)
- Type-C2 Input:
5V= 2A 9V= 2A 12V= 1.5A(18W Max)
- Type-C2 Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- USB-A Output:
5V= 3A 9V= 2A 10V= 2.25A 12V= 1.5A(22.5W Max)
- Weight: 400g
- Colors: Black, White

Color:  

XX\$

Built-in Triple Cables

22.5W Fast-Charging Power Bank



10000mAh/Power Bank/ 22.5W

- Model: H30A(3 Cables)
- Battery Capacity: 10000mAh/3.7V/37Wh
- Cell Model: 1260110*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 100*69*17mm
- Type-C1 Input:
5V 2A 9V 2A 12V= 1.5A(18W Max)
- Type-C2 Input:
5V 2A 9V 2A 12V= 1.5A(18W Max)
- Input USB Cable:
5V 2A 9V 2A 12V= 1.5A(18W Max)
- Type-C2 Output:
5V 2A 9V 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Type-C Cable Output:
5V 3A 9V 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- Lightning Cable: 5V = 2A
- USB-A Output:
5V 3A 9V 2A 10V= 2.25A 12V= 1.5A(22.5W Max)
- Weight: xxxg
- Colors: Black, White

Color:



XX\$

22.5W Fast-Charging Power Bank



10000mAh/Power Bank/ 22.5W

- Model: H30(22.5W)
- Battery Capacity: 10000mAh/3.7V/37Wh
- Cell Model: 1260110*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 100*69*17mm
- Type-C1 Input:
5V= 2A 9V= 2A 12V= 1.5A(18W Max)
- Type-C2 Input:
5V= 2A 9V= 2A 12V= 1.5A(18W Max)
- Type-C2 Output:
5V= 2A 9V= 2.22A 10V= 2.25A 12V= 1.67A(22.5W Max)
- USB-A Output:
5V= 3A 9V= 2A 10V= 2.25A 12V= 1.5A(22.5W Max)
- Weight: xxxg
- Colors: Black, White

Color: ☒ Black ☐ White

XX\$

22.5W Fast-Charging Power Bank



20000mAh/Power Bank/ 22.5W

- Model: F75(22.5W)
- Battery Capacity: 20000mAh/3.7V/74Wh
- Cell Model: 1260110*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 141*66.5*27.9mm
- Micro-USB Input:
5V== 2A 9V== 2A 12V== 1.5A(18W Max)
- USB-C Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- USB-C Output:
5V== 3A 9V== 2.22A 12V== 1.67A(22.5W Max)
- USB-A1/A2 Output:
5V== 4.5A 9V== 2A 12V== 1.5A(22.5W Max)
- Weight: xxxg
- Colors: Black, White

Color: ☒ ☐

XX\$

22.5W Fast-Charging Power Bank



10000mAh/Power Bank/ 22.5W

- Model: F73(22.5W)
- Battery Capacity: 10000mAh/3.7V/37Wh
- Cell Model: 1260110*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 141*66.5*15.9mm
- Micro-USB Input:
5V= 2A 9V= 2A 12V= 1.5A(18W Max)
- USB-C Input:
5V= 3A 9V= 2A 12V= 1.5A(18W Max)
- USB-C Output:
5V= 3A 9V= 2.22A 12V= 1.67A(22.5W Max)
- USB-A1/A2 Output:
5V= 4.5A 9V= 2A 12V= 1.5A(22.5W Max)
- Weight: 200g
- Colors: Black, White

Color: ☒ Black ☐ White

XX\$

22.5W Fast-Charging Power Bank



10000mAh/Power Bank/ 22.5W

- Model: F50(22.5W)
- Battery Capacity: 10000mAh(3.85V/38.5Wh)
- Cell Model: 1376074*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 112*69.5*22.5mm
- Micro-USB Input:
5V== 2A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- USB-A Output:
5V== 4.5A 9V== 2A 12V== 1.5A(22.5W Max)
- Weight: 228g
- Colors: Black, White, Pink, Purple, Blue

Color:



XX\$

NEW FUTURE

04

AC Plug Power Banks

Power bank

CONNECT
THE FUTURE

AC 20W Fast-Charging Power Bank



5000mAh/Power Bank/ 20W

- Model: F92(AC 20W)
- Battery Capacity: 5000mAh/3.7V/18.5Wh
- Cell Model: 21700*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 117*50.5*32mm
- Adapter Mode:
 - AC Input: 100-240V AC, 50-60Hz 0.3A (Max)
 - Type-C Port/Cable Output: 5V = 2A
 - Total Output: 5V = 2A
- Power Bank Mode:
 - Type-C Input: 5V = 2A 9V= 2A 12V= 1.5A(18W Max)
 - Type-C Port/Cable Output:
 - 5V= 2A 9V= 2.22A 12V= 1.66A(20W Max)
- Weight: xxxg
- Colors: Black, White, Pink, Purple, Blue

Color:



XX\$

Watch Wireless Charging
Fast-Charging Power Bank



5000mAh/Power Bank/ 22.5W

- Model: F90(Watch Charge)
- Battery Capacity: 5000mAh/3.7V/18.5Wh
- Cell Model: 21700*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 90.5*30*47mm
- Adapter Mode:
 - AC Input: 100-240V AC, 50-60Hz 0.3A (Max)
 - Type-C/iPhone Output: 5V = 2A
- Power Bank Mode:
 - iPhone Input: 5V = 3A 9V= 2A 12V= 1.5A(18W Max)
 - Type-C Input: 5V = 3A 9V= 2A 12V= 1.5A(18W Max)
 - Type-C Output:
 - 5V= 2A 9V= 2.22A 12V= 1.67A(22.5W Max)
 - iPhone Output: 5V = 2A 9V= 2.22A 12V= 1.67A(20W Max)
- Weight: xxxg
- Colors: Black, White, Pink, Purple, Blue

Color:      

AC Fast-Charging Power Bank



5000mAh/Power Bank/ 22.5W

- Model: F82-D
- Battery Capacity: 10000mAh/3.85V/38.5Wh
- Cell Model: 114371*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 116*61*28.5mm
- Adapter Mode:
 - AC Input: 100-240V AC, 50-60Hz 0.3A (Max)
 - Cable/USB-A Output: 5V = 2A
 - Total Output: 5V = 2A
- Power Bank Mode:
 - USB-C Input: 5V = 2A 9V = 2A 12V = 1.5A(18W Max)
 - Type-C Cable Input: 5V = 3A 9V = 2A 12V = 1.5A(18W Max)
 - Lightning Cable Output:
 - 5V = 2A 9V = 2.22A 12V = 1.66A(20W Max)
 - Type-C Cable Output:
 - 5V = 2A 9V = 2.22A 10V = 2.25A 12V = 1.66A(22.5W Max)
- USB-A Output:
 - 5V = 2A 9V = 2A 10V = 2.25A 12V = 1.5A(22.5W Max)
- Weight: 232g
- Colors: Black, Ivory, Pink, Purple

Color:



XX\$

AC Fast-Charging Power Bank



5000mAh/Power Bank/ 22.5W

- Model: F82-C
- Battery Capacity: 10000mAh/3.85V/38.5Wh
- Cell Model: 114371*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 116*61*28.5mm
- Adapter Mode:
 - AC Input: 100-240V AC, 50-60Hz 0.3A (Max)
 - Cable/USB-A Output: 5V $\Rightarrow$ 2A
 - Total Output: 5V $\Rightarrow$ 2A
- Power Bank Mode:
 - USB-C Input: 5V $\Rightarrow$ 2A 9V $\Rightarrow$ 2A 12V $\Rightarrow$ 1.5A(18W Max)
 - Type-C Cable Input: 5V $\Rightarrow$ 3A 9V $\Rightarrow$ 2A 12V $\Rightarrow$ 1.5A(18W Max)
 - Lightning Cable Output:
 - 5V $\Rightarrow$ 2A 9V $\Rightarrow$ 2.22A 12V $\Rightarrow$ 1.66A(20W Max)
 - Type-C Cable Output:
 - 5V $\Rightarrow$ 2A 9V $\Rightarrow$ 2.22A 10V $\Rightarrow$ 2.25A 12V $\Rightarrow$ 1.66A(22.5W Max)
- USB-A Output:
 - 5V $\Rightarrow$ 2A 9V $\Rightarrow$ 2A 10V $\Rightarrow$ 2.25A 12V $\Rightarrow$ 1.5A(22.5W Max)
- Weight: 232g
- Colors: Black, Ivory, Pink, Purple

Color:



XX\$

AC Fast-Charging Power Bank



5000mAh/Power Bank/ 22.5W

- Model: F82-B
- Battery Capacity: 10000mAh/3.85V/38.5Wh
- Cell Model: 114371*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 116*61*28.5mm
- Adapter Mode:
 - AC Input: 100-240V AC, 50-60Hz 0.3A (Max)
- Cable/USB-A Output: 5V = 2A
- Total Output: 5V = 2A
- Power Bank Mode:
 - USB-C Input: 5V = 2A 9V = 2A 12V = 1.5A(18W Max)
 - Type-C Cable Input: 5V = 3A 9V = 2A 12V = 1.5A(18W Max)
 - Lightning Cable Output:
 - 5V = 2A 9V = 2.22A 12V = 1.66A(20W Max)
 - Type-C Cable Output:
 - 5V = 2A 9V = 2.22A 10V = 2.25A 12V = 1.66A(22.5W Max)
- USB-A Output:
 - 5V = 2A 9V = 2A 10V = 2.25A 12V = 1.5A(22.5W Max)
- Weight: 232g
- Colors: Black, Ivory, Pink, Purple

Color:



XX\$

AC Fast-Charging Power Bank



5000mAh/Power Bank/ 22.5W

- Model: F82-A
- Battery Capacity: 10000mAh/3.85V/38.5Wh
- Cell Model: 114371*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 116*61*28.5mm
- Adapter Mode:
 - AC Input: 100-240V AC, 50-60Hz 0.3A (Max)
 - Cable/USB-A Output: 5V = 2A
 - Total Output: 5V = 2A
- Power Bank Mode:
 - USB-C Input: 5V = 2A 9V = 2A 12V = 1.5A(18W Max)
 - Type-C Cable Input: 5V = 3A 9V = 2A 12V = 1.5A(18W Max)
 - Lightning Cable Output:
 - 5V = 2A 9V = 2.22A 12V = 1.66A(20W Max)
 - Type-C Cable Output:
 - 5V = 2A 9V = 2.22A 10V = 2.25A 12V = 1.66A(22.5W Max)
- USB-A Output:
 - 5V = 2A 9V = 2A 10V = 2.25A 12V = 1.5A(22.5W Max)
- Weight: 232g
- Colors: Black, Ivory, Pink, Purple

Color:



XX\$

NEW FUTURE

05

Direct-Plug Power Banks

Power bank

CONNECT
THE FUTURE

Mini Direct-Plug Fast-Charging Power Bank



5000mAh/Power Bank/ 20W

- Model: F70DPD(Digital)
- Battery Capacity: (Typical)5000mAh/3.7V/18.5Wh
(Rated)4800mAh/3.7V/17.76Wh
- Cell Model: 21700*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 79*49*26mm
- Type-C Input: 5V = 2.4A
- Type-C Cable Input:
5V = 3A 9V = 2A 12V = 1.5A
- iPhone/Type-C Output:
5V = 2A 9V = 2A 12V = 1.5A
- Type-C Cable Output:
5V = 2A 9V = 2A 12V = 1.5A
- Weight: 100g
- Colors: Black, White, Pink, Purple, Blue

Color:



XX\$

Mini Direct-Plug Fast-Charging Power Bank



5000mAh/Power Bank/ **20W**

- Model: F70PD(**LED**)
- Battery Capacity: (Typical)5000mAh/3.7V/18.5Wh
(Rated)4800mAh/3.7V/17.76Wh
- Cell Model: 21700*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 79*49*26mm
- Type-C Input:
5V== 2.A
- iPhone/Type-C Output:
5V== 2A
- Output (Type-C):
5V== 2A
- Weight: 96g
- Colors: Black, White, Pink, Purple, Blue

Color:



XX\$

Mini Direct-Plug Power Bank



5000mAh/Power Bank/ **10W**

- Model: F69(**LED**)
- Battery Capacity: 4800mAh/3.7V/17.76Wh
- Cell Model: 21700*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 79*49*26mm
- Type-C Input:
5V= 2.4A
- Output (Type-C):
5V= 2A
- iPhone/Type-C Output:
5V= 2A
- Type-C Cable Output:
5V= 2A
- Weight: 96g
- Colors: Black, White, Pink, Purple, Blue

Color:



XX\$

Mini Direct-Plug Power Bank



5000mAh/Power Bank/ **10W**

- Model: F69D(Digital)
- Battery Capacity: 4800mAh/3.7V/17.76Wh
- Cell Model: 21700*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 79*49*26mm
- Type-C Input:
5V= 2.4A
- Output (Type-C):
5V= 2A
- iPhone/Type-C Output:
5V= 2A
- Type-C Cable Output:
5V= 2A
- Weight: 96g
- Colors: Black, White, Pink, Purple, Blue

Color:



XX\$

NEW FUTURE

06

Retractable-Cable Power Banks

Power bank

CONNECT
THE FUTURE

Built-in Retractable Cable 22.5W Fast-Charging Power Bank



20000mAh/Power Bank/ 22.5W

- Model: F99(Retractable)
- Battery Capacity: 20000mAh/3.85V/77Wh
- Cell Model: 146074*2
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 136*69*32.5mm
- Type-C Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Cable Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Type-C Cable Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- USB-A Output:
5V== 2A 9V== 2A 10V== 2.25A 12V== 1.5A(22.5W Max)
- Weight: xxxg
- Colors: Black, White, Pink, Purple, Blue

Color:



XX\$

Built-in Retractable Cable
22.5W Fast-Charging Power Bank

10000mAh/Power Bank/ 22.5W

- Model: F99(Retractable)
- Battery Capacity: 10000mAh/3.85V/38.5Wh
- Cell Model: 114371*1
- Material: ABS+PC Flame-Retardant Material
- Dimensions: 125*57*26.5mm
- Type-C Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Cable Input:
5V== 3A 9V== 2A 12V== 1.5A(18W Max)
- Type-C Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Type-C Cable Output:
5V== 2A 9V== 2.22A 10V== 2.25A 12V== 1.67A(22.5W Max)
- Weight: xxxg
- Colors: Black, White, Pink, Purple, Blue

Color:



XX\$

